QUARTERLY REPORT AIRBORNE URANIUM EMISSIONS APRIL 3, 1990 TO JULY 9, 1990

XX/XX/XX

DOE-FMPC/USEPA 22 REPORT ENCLOSURE 1

QUARTERLY REPORT AIRBORNE URANIUM EMISSIONS APRIL 3, 1990 TO JULY 9, 1990

QUARTERLY REPORT AIRBORNE URANIUM EMISSIONS APRIL 3, 1990 TO JULY 9, 1990

FEDERAL FACILITIES COMPLIANCE AGREEMENT CLEAN AIR ACT SECTION - ITEM E

U.S. DEPARTMENT OF ENERGY FEED MATERIALS PRODUCTION CENTER FERNALD, OHIO

AIRBORNE EMISSIONS REPORT FOR THE PERIOD 4/3/90 TO 7/9/90 IN RESPONSE TO ITEM E OF THE CLEAN AIR ACT SECTION FEDERAL FACILITIES COMPLIANCE AGREEMENT

Introduction

This report is submitted in response to Item E of the Clean Air Act Section of the Federal Facilities Compliance Agreement. Specifically, the EPA has required the following action:

"U.S. DOE shall maintain records of monthly particulate matter emissions and shall provide U.S. EPA with quarterly reports."

The emissions of concern are considered to be particulate uranium. Air emissions at the FMPC are routinely analyzed for total uranium.

Dust Collectors

There are fifty-one (51) dust collectors currently operational at the FMPC which handle uranium dust. None of these were operated during the reporting period. Dust collectors G5-262, G5-284, G5-1029, and G55-1016 are equipped with a multiple point continuous isokinetic sampler. All other dust collectors are equipped with a single point particulate sampler. A sampler consists of a pleated paper filter in a cap-shaped holder. Air is drawn through the filter, leaving any particulates on the paper. At regular intervals, the filters are destructively analyzed for uranium.

Scrubbers

The major emission points not monitored at the FMPC are the streams which exit wet scrubber systems. Because of the high moisture content of the exhaust gas, conventional monitors cannot be used. In the case of a filter sampler, the paper quickly becomes saturated and restricts air flow. To date, a real-time monitor has not been found that can be used in the scrubber exhausts. Particulate emissions reports will include estimated uranium losses from the FMPC scrubber systems. These estimates are based on emissions factors obtained from earlier U.S. EPA Method V stack testing.

There are thirteen (13) scrubbers currently operational at the FMPC which handle uranium emissions. No scrubbers were operated during the reporting period.

Other Emissions

Emissions from eight (8) sources, which do not have samplers installed, are calculated monthly. Emissions factors for these sources are based on hours of operation in the mode which results in an air emission, U.S. EPA Method V stack testing or engineering estimates. There were emissions from three (3) of these sources during the reporting period.

Building vents are not included in particulate emissions reports because uranium losses, if any, from these are non-detectable.

SUMMARY OF URANIUM EMISSIONS FROM PARTICULATE STACKS AND SCRUBBERS FOR THE PERIOD 4/3/90 TO 7/9/90

		Stack	U Emiss	ions (kg)	·
Emission Point Number	Control Equip.	Sampler Status	Stack Total	%`of´FMPC Total	•
Plant 1			<u> </u>		
007 005 006 003 015 001 016 010	G2-1 G2-2 G2-64 G2-76 G2-171 G2-172 G2-235 G2-6014 G2-6042	I I I I I I I	N/O N/O N/O N/O N/O N/O N/O	0 0 0 0 0 0	
Total Plant 1 Emis	sions	•	0.0		
Plant 2/3					
023 023 092 093 001	G1-94 G1-856	I S S S	N/0 N/0 N/0 N/0 N/0	0 0 0 0	
Total Plant 2/3 Em	issions		0.0	0	•
Plant 4 008 005 025 009 001 006 003 004 W. Talcum Cooling 002			N/O N/O N/O N/O N/O N/O N/O N/O	0 0 0 0 0 0 0	
Total Plant 4 Emis	sions		0.0	0.0	

SUMMARY OF URANIUM EMISSIONS FROM PARTICULATE STACKS AND SCRUBBERS FOR THE PERIOD 4/3/90 TO 7/9/90

Emission Point	Control	Stack Sampler	U Emiss Stack	ions (kg) % of FMPC	
Number	Equip.	Status	Total	Total	
Plant 5	·				
3	G5-248	Ţ	N/O	0	
Δ	G5-249	Ť	N/O	Ö	
5	G5-250	Ī	N/O	Ö	
9 ·	G5-254	Ī	N/O	0	
10 .	G5-256	Ī	N/O	0	
13	G5-260	Ī	N/O	0	
14	G5-261	I	N/O	0	
17	G5-262	I	N/0	0	
19	G5-267	I	N/0	0	
19 15 22	G5-284	I	N/O	0	
22	G5-1029	I	N/O	0	
15	G5A-100	I	N/0	0	
16	G5A-101	I	N/O	. 0	
15 16 18 18	G55-1016	<u>I</u>	N/O	0	
	G55-E100	Ī	N/0	0	
E. Mold Cooling &	Sooth	1	N/O	0	
Graphite Breakup	Rootu	1	N/0	0	•
Remelt Furnace		Ų	N/O	0	
E. Cooling Well		Ţ	N/0	0 0	
W. Cooling Well		1	N/0	U	
Total Plant 5 Emi	issions		0.0	0	

Plant 6				
3 S ESP	G6-3578	Ī	N/O	0
6		S	N/O	0
Briquetting Scrubb	er	S	N/O	0
Scrap Pickling		S	N/O	0
Total Plant 6 Emis	sions		0.0	0

SUMMARY OF URANIUM EMISSIONS FROM PARTICULATE STACKS AND SCRUBBERS FOR THE PERIOD 4/3/90 TO 7/9/90

Emission Point Number	Control	Stack Sampler Status	U Emissi Stack Total	ons (kg) % of FMPC Total	
Plant 8			·		
008 006 001 011 002 Rotary Kiln 007 Oxidation No. 1 009 Oxidation No. 2 010 Box Furnace 005 Primary Calciner Drum Washer EIMCO #1 Oliver Filter	G8-7 G8-8035 G43-27 G43-29	I I I S S S S S O O	N/O N/O N/O N/O N/O N/O N/O N/O 0.0 0.00324 0.002874	0 0 0 0 0 0 0 0 0 1.976 17.527	
Total Plant 8 Emissio	ns		0.003198	19.503	
			·		
Plant 9 001 Zirnlo-Derby Pickling	G9E2-400 G9N1-1035S	I I O	N/O N/O 0.0	0 0 0	
Total Plant 9 Emissio	ns		0.0	0	
Pilot Plant					~ · · · · · · · · · · · · · · · · · · ·
015 016 R-14 R-50	G-1 G-2 735-13-7041 735-13-7051 Reactor Area Stokes Vacuum Pump	I I I S S	N/O N/O N/O N/O 0.0	0 0 0 0 0	
Total Plant Pilot Plan	nt Emissions		0.0	0.0	

SUMMARY OF URANIUM EMISSIONS FROM PARTICULATE STACKS AND SCRUBBERS FOR THE PERIOD 4/3/90 TO 7/9/90

		Stack	U Emissi	ons (kg)	
Emission Point Number	Control Equip.	Sampler Status	Stack Total	% of FMPC Total	
Laboratory					
001	G15-001	I	0.0	0.0	
Total Laboratory E	missions	-	0.0	0.0	
NAR System					
Total NAR Emission	s	0	0.0	0	
D & D Facility					
Total D & D Facili	ty Emissions	. 0	0.013200	80.498	
Summany of EMPC			0.016398	100	
Summary of FMPC Air Emissions for Second Quarter CY			0.010396	100	

KEY: I - Stack sampler is installed.
 S - Scrubber system, emissions are estimated.
 O - No sampler installed, emissions are estimated.
N/O = The dust collector and associated process sources were not operated during the reporting period.

1271

Stack Discharge Report for the Period from April 3, 1990 to May 2, 1990

Collector	Status	Notes	Stack Di	scharges Estimated	Total
Number	I I		During Th	is Reporting Period	This Year
	1 1		kg U	Sampling Interval	ļ kg U
				- 	-
Plant 1			Į.	1	1
G2-1	5	Filter #892	N/O	10/15/89	0.0
G2-2	ļ 5 	Filter #894	N/O	10/15/89	0.0
G2-64	5	Filter #877	N/0	10/15/89	0.0
G2-76	5	Filter #891	N/O	10/15/89	0.0
G2-171	5	Filter #895	N/O	10/15/89	0.0
G2-172	3	Filter #73	N/O	3/11/90 to 4/8/90	0.0
G2-235	3	Filter #69	N/O	3/4/90 to 4/1/90	0.0
	1 4 1	Filter #97	N/O	4/1/90 to 4/30/90	0.0
G2-6042	Dismantl	ed	N/O	10/16/89	0.0
G2-6014	3	Filter #74	N/O	3/11/90 to 4/8/90	0.000356
Totals			0.0		0.000356

Plant 2/3								
G1-94	5	Filter #963		N/O	1	11/22/89	l	0.0
- · • · -	Dismant		•	N/O	•	• •		0.0
	:	 	:				:	

Plant 4											
G4-1	1	5	- 1	filter	#897	1	N/O	1	10/15/89	- 1	0.0
G4-2	İ	5	Ì	Filter	#904	1	N/O	ļ	10/15/89	İ	0.0
G4-4	Ì	3	Ì	Filter	#75	1	N/O	ĺ	3/11/90 to 4/8/90	İ	0.0
G4-5	1	3	Ì	Filter	#76	1	N/O	1	3/11/90 to 4/8/90	Ì	0.0
G4-7	İ	5	i	Filter	#898	ĺ	N/O	Ì	10/15/89	İ	0.0
G4-12	Ĺ	5	i	Filter	#89 9	. 1	N/O	Ĺ	10/15/89	j	0.0
G4-13	1	5	- 1	Filter	#900	1	N/O	.	10/15/89	Ī	0.0
G4-14	I	5	- 1	Filter	#931	1	N/O	1	10/24/89]	0.0
Talcum cooling vent	!	5	Ī	Filter	#901	!	N/O	!	10/15/89	1	0.0
Totals	 		ا - · ا			 	0.0	- -		·• •·	0.0

Status: 1 - filter not inspected this period.

- 2 Filter inspected but not changed.
- 3 Filter changed, analyzed and discharge estimated.
- 4 Filter changed but analysis not complete. To be reported.
- 5 Collector abandoned or on standby. Stack sampler not routinely inspected or serviced

Stack Discharge Report for the Period from April 3, 1990 to May 2, 1990

1271

				· ·	
Collector	Status	Notes	Stack Dis	scharges Estimated	Total
Number	1		During Th	is Reporting Period	This Year
	1 1		kg U	Sampling Interval	kg U
Diam 5	- -			İ	
Plant 5 G5-247	1 5 LF	Filter #120	I N/O	1 4/24/90	0.0
G5-248D	•	filter #92	N/O	3/24/90 to 4/21/90	1 0.0
G5-248S		Filter #93	N/O	3/24/90 to 4/21/90	1 0.0
35-2483 35-24 9	Dismantle		N/O	1	1 0.0
35-250	Dismantle		N/O		0.0
35-254	Dismantle		N/O	<u> </u>	0.0
55-26 7	Dismantled		N/O		0.0
35-25 6		- Filter #77	N/O	3/17/90 to 4/15/90	1 0.0
35-260	•	Filter #78	N/O	3/17/90 to 4/15/90	0.0
35-261	•	ilter #79	N/O	3/17/90 to 4/15/90	0.0
55-262		Filter #80	l N/O	3/17/90 to 4/15/90	0.0
55E-100		Filter #81	N/O	3/17/90 to 4/15/90	1 0.002301
55A-100		ilter #82	N/O	3/17/90 to 4/15/90	0.0
55A-101	1 3 F	Filter #83	N/O	3/17/90 to 4/15/90	0.0
5-2840	1 3 I F	filter #62A	N/O	3/2/90 to 3/31/90	i
	i 4 i F	ilter #94	N/O	3/31/90 to 4/28/90	0.0
G5-284 S	j 3 j F	ilter #63A	N/O	3/2/90 to 3/31/90	i
	4 F	ilter #95	N/O	3/31/90 to 4/28/90	0.0
SS-1017D	1 3 F	ilter #84	N/O	3/17/90 to 4/15/90	0.0
GS5-1016S	j 3 j F	ilter #85	N/O	3/17/90 to 4/15/90	0.0
305-1029Y	j 3 j F	ilter #86	N/O	3/17/90 to 4/15/90	0.0
305 - 1020X	j 3 j F	ilter #87	N/O	3/17/90 to 4/15/90	0.0
305-1019X	j 3 j F	ilter #89	N/O	3/17/90 to 4/15/90	0.0
Graphite Breakup Bo	oth 5 F	ilter #965	N/O	11/22/89	0.0
E. Mold Cooling Boo	oth 5 F	ilter #964	N/O	11/22/89	0.0
. Mold Cooling Boo	oth 5 F	ilter #968	N/O	11/22/89	0.0
ast Cooling Well	5 F	ilter #915	N/O	10/19/89	0.0
West Cooling Well	5 F	filter #916	N/O	10/19/89	0.0
Totals	-1		0.0		0.002301

D1	+	4

North ESP	5	Filter #65	N/O	2/19/90	0.0
		Filter #37			
	<u> </u>	 	: :		

Status: 1 - Filter not inspected this period.

2 - Filter inspected but not changed.

3 - Filter changed, analyzed and discharge estimated.

4 - Filter changed but analysis not complete. To be reported.

5 - Collector abandoned or on standby. Stack sampler not routinely inspected or serviced

N/O = The dust collector and associated process sources were not operated

Stack Discharge Report for the Period from April 3, 1990 to May 2, 1990

Collector	Status	Notes	•	scharges Estimated	Total
Number	1	1	•	is Reporting Period	This Yea
	 	l [kg U _	Sampling Interval	kg U
G43-27	 5	 Filter #928	 N/O	10/24/89	0.0
G43-29	j 5	Filter #929	N/O	10/24/89	0.0
G8-8035	j 5	Filter #930	N/O	10/24/89	0.0
G8-8057	5	Filter #896	N/O	10/15/89	0.0
Totals			0.0		0.0
Plant 9					
G9E2-400	5	Filter #38	N/O	1/23/90	0.0
G9N1-1035D	3	Filter #71	N/O	3/10/90 to 4/6/90	0.0
G9N1-1035S	3	Filter #72	N/O	3/10/90 to 4/6/90	0.0
Totals		! 	0.0		0.0
Pilot Plant 735-13-7041	•	Filter #39	N/O	1/23/90	0.0
735-13-7051	•	Filter #40 Filter #70	N/O	1/23/90 3/4/90 to 4/1/90	0.0
G-1		Filter #76	N/O N/O	4/1/90 to 4/30/90	1 0.0
G-2	3	Filter #88	N/O	3/17/90 to 4/14/90	0.0
Totals			0.0		0.0
Lab Bldg.	1 7	l riter #04	1 440		1 00
G15-001 		Filter #91 	N/O 	3/24/90 to 4/20/90	0.0
Totals	- '		0.0		0.0
e eren e e e e e e e e e e e e e e e e e		· - · · · · · · · · · ·			
SITE TOTALS	1	 	0.0		0.002657

Status: 1 - Filter not inspected this period.

N/O \approx The dust collector and associated process sources were not operated

^{2 -} Filter inspected but not changed.

^{3 -} Filter changed, analyzed and discharge estimated.

 $[\]ensuremath{\mathsf{4}}$ - Filter changed but analysis not complete. To be reported.

^{5 -} Collector abandoned or on standby. Stack sampler not routinely inspected or serviced

FMPC Controller's Organization - Materials Control & Accountability

Plant 8 Wet Scrubber Emission Report for the Period from 4/01/90 TO 4/30/90

Wet Scrubbers	Emission Factors U gms./hr. oper. 	Wet Scrubber Emissions Calculated During This Reporting Period kg. U Operating Hours		Total This Year kg. U
Rotary Kiln	 1.01 • 	 0 	 - 0	 0
Oxidation No. 1 Furnace	 7.11 • 	0	 0 	 0
Box Furnace	2.06	0	[0 	 0
Primary Calciner	0.51 * 3.00 **	0	 0	0
Totals	 	0	0	0

- Current emission factors are based on USEPA-approved stack testing studies.
 These factors are documented in a letter, A. M. Schwartzman to D. L. Dunaway, dated July 5, 1988, Plant 8 Scrubbers.
- ** This emission factor is based on continuous stack sampling performed while Primary Calciner was drying wet sump cake (MTC 0069) during April 1989.

Estimated Uranium Emissions - Unmonitored Stacks

Plant	Stack	Emission Factors*	YID Total Cumulative Emissions (Kg U)	Emissions (KgU/mo)
•	Jolter Mufflers - east Jolter Mufflers - west	6.03E·7 Kg U/liner 6.03E·7 Kg U/liner	•	0.000000 0.000000
5	Breakout Jolter Muffler	8.22E-10 Kg U/derby	0.000000	0.000000
5	Remelt furnace Hilco Oil Reclamation/Furnace Vacuum Pump System	7.62E-8 Kg U/hr	0.000000	0.000000
1 6	Briquetting scrubber **	1.38E-6 Kg U/lb U processed	0.000000	0.000000
6	Scrap pickling **	3.46E-4 Kg U/hr	0.000000	0.000000
8	Drum washer	3.0E-4 Kg U/hr	0.000000	0.000000
8	Eimco filter - filter #1	9.08E-5 Kg U/lb	0.015222	0.000000
	Oliver filter - east filter	9.08E-5 Kg U/lb	0.002575	0.000743
8	Eimco filter hood fan ***	4.89E·6 (Kg U/hr)*(min*m3/dis)	0.000000	0.000000
9	Zirnlo - derby pickling	7.45E·6 Kg U/derby	0.000000 [0.000000
Pilot	Reactor area - Hydrogen safety system exhaust vent ***	1.61E+7 (Kg U/hr)*(cc/micro Ci)	0.000000	0.00000.0
Pilot Plt	Reactor area - Scrubber C (Vessel 1 & 2 offgas line)	6.62E·9 Kg U/hr	0.000000	0.000000
Pilot	Annex area - Stokes vacuum pump	1.73E-8 Kg U/hr	0.000000	0.000000
	NAR	Based on U concentration	0.000000	0.000000.
i i	Decontamination and	1.1E-4 Kg U/batch	İ	
	TOTAL - Kg U/month	•	====== : 0.032427 	0.004043

Hours as used in emission factor represent hours of operation in the mode which results in an air emission.

^{**} Factors for Plant 6 Scrap Pickle and Briquetting were determined before these facilities were tied into the NOx Destructor. As a result, U emissions will be lower than reported. New emission factors will be developed when stack sampling is complete.

^{***} Due to the length of time required to analyze air activities, the reported values represent emissions from the previous month.

Stack Discharge Report for the period from May 2, 1990 to June 5, 1990

Collector	Status	Notes	Stack D	Stack Discharges Estimated		
Number	1	}	During Ti	his Reporting Period	This Year	
	1] 	kg U 	Sampling Interval	kg U 	
Plant 1		İ	i	İ	i	
G2-1	1 5	Filter #892	N/O	10/15/89	1 0.0	
G2-2	5	Filter #894	N/O	10/15/89	0.0	
G2-64	5	Filter #877	N/O	10/15/89	0.0	
G2-76	1 5	Filter #891	N/O	10/15/89	0.0	
G2-171	i 5	Filter #895	N/O	10/15/89	0.0	
G2-172	3	, Filter #100) N/O	4/8/90 to 5/6/90	i	
	1 4	Filter #127	N/O	5/6/90 to 6/2/90	0.0	
G2-235	1 3	Filter #97	N/O	4/1/90 to 4/30/90	1	
	1 3	Filter #124	N/O	4/30/90 to 5/27/90	0.0	
G2-6042	İ	Dismantled	N/O	10/16/89	0.0	
G2-6014	, 3	Filter #101	N/O	4/8/90 to 5/6/90	i	
	4	Filter #128	N/O	5/6/90 to 6/2/90	0.000356	
Totals	1	 	0.0		0.000356	
	•	'	•	•	,	
			•			
Plant 2/3		L #11 40/7		44 (22 (00		
G1-94	5	Filter #963	N/O	11/22/89	0.0	
G1-856	1	Dismantled	N/O	11/13/89	0.0	
Totals	1		0.0		0.0	
101010	•	•	, 555		1 0.0	
Plant 4						
G4-1	5	Filter #897	N/O	10/15/89	1 0.0	
G4-2	j 5	Filter #904	N/O	10/15/89	i 0.0	
G4-4	3	Filter #102	j n/o j	4/8/90 to 5/6/90	i	
	1 4	Filter #129	N/O	5/6/90 to 6/2/90	0.0	
G4-5	3	Filter #103	N/O	4/8/90 to 5/6/90	İ	
	j 4	Filter #130	N/O	5/6/90 to 6/2/90	0.0	
G4-7	5	Filter #898	N/O	10/15/89	0.0	
G4-12	5	filter #899	j n/o j	10/15/89	0.0	
G4-13	5	Filter #900	N/O	10/15/89	j	
G4-14	5	Filter #931	N/O	10/24/89	0.0	
Talcum Cooling Vent	j 5	Filter #901	N/O	10/15/89	0.0	
Totals	 		0.0	••••••	0.0	
	•	•			•	

Status: 1 - Filter not inspected this period.

- 2 Filter inspected but not changed.
- 3 Filter changed, analyzed and discharge estimated.
- 4 Filter changed but analysis not complete. To be reported.
- 5 Collector abandoned or on standby. Stack sampler filter not routinely changed.
- 6 Duct sampler, not a discharge source. Emissions not included in report.

Stack Discharge Report for the period from May 2, 1990 to June 5, 1990

Collector	Status	Notes	•	Stack Discharges Estimated		
Number		!	•	his Reporting Period	This Year	
	<u></u> <u></u>	<u> </u>	kg U 	Sampling Interval	kg U _	
Plant 5	•		1	1	1	
G5-247D	6	Filter #120	0.0	4/24/90 to 5/18/90	1 0.0	
G5-2480	6	Filter #118	j 0.0	4/21/90 to 5/18/90	0.0	
G5-248S	3	Filter #119	i 0.0	4/21/90 to 5/18/90	i 0.0	
G5-249		Dismantled	N/O	i	0.0	
G5-250		Dismantled	I N/O	i	i 0.0	
G5-254		Dismantled	N/O	i	0.0	
G5-267		Dismantled	N/O	i	j 0.0	
G5-256	3	Filter #105	N/O	4/15/90 to 5/13/90	1	
i	5	 Filter #132	N/O	5/13/90	0.0	
G5-260	3	Filter #106	N/O	4/15/90 to 5/13/90	i	
1	5	Filter #133	N/O	5/13/90	0.0	
G5-261	3	Filter #107	N/O	4/15/90 to 5/13/90	1	
	5	Filter #134	N/O	5/13/90	0.0	
G5-262	3	Filter #108	N/O	4/15/90 to 5/13/90	1	
1	5	Filter #135	N/O	5/13/90	0.0	
G55E-100	.3	Filter #109	N/O	4/15/90 to 5/13/90	1	
	5	Filter #136	N/O	5/13/90	0.002301	
G5A-100	3	Filter #110	N/0	4/15/90 to 5/13/90	1	
1	3	Filter #138	N/O	5/13/90 to 5/18/90	i	
i	_	Dismantled	N/O	5/18/90	0.0	
G5A-101	3	Filter #111	- N/O	4/15/90 to 5/13/90	1	
1	5	Filter #137	N/O	5/13/90	0.0	
G5A-284D	6	Filter #94	N/O	3/31/90 to 4/28/90	1	
1	6	Filter #121	N/O	4/28/90 to 5/26/90	0.0	
G5A-284S	3	Filter #95	N/O	3/31/90 to 4/28/90	1	
1	3	Filter #122	1 N/O	4/28/90 to 5/26/90	0.0	
G55-1017D I	6	Filter #112	N/O	4/15/90 to 5/13/90	0.0	
G55-1016S	3	Filter #113	N/O	4/15/90 to 5/13/90	0.0	
G05 - 1029X	4	Filter #114	N/O	4/15/90 to 5/13/90	0.0	
G05 - 1020X	3	Filter #115	N/O	4/15/90 to 5/13/90	0.0	
G05-1019X		Filter #116	N/O	4/15/90 to 5/13/90	0.0	
Graphite Breakup Booth	- '	Filter #965	N/O	11/22/89	i 0.0	
E. Mold Cooling Booth	, , , , ,	Filter #964	N/O	11/22/89	0.0	
W. Mold Cooling Booth	5 1	Filter #968	N/O	11/22/89	0.0	
East Cooling Well		Filter #915	N/O	11/22/89	0.0 "0.0	
West Cooling Well	5	Filter #916	N/O	10/19/89	0.0	
Totals	 		 0.0		0.002301	

Status: 1 - Filter not inspected this period.

^{2 -} Filter inspected but not changed.

^{3 -} Filter changed, analyzed and discharge estimated.

^{4 -} Filter changed but analysis not complete. To be reported.

^{5 -} Collector abandoned or on standby. Stack sampler filter not routinely changed.

^{6 -} Duct sampler, not a discharge source. Emissions not included in report.

Stack Discharge Report for the period from May 2, 1990 to June 5, 1990

Collector	Status	Notes	•	ischarges Estimated	Total	
Number	1	 	During I kg U	his Reporting Period Sampling Interval	This Year	
	_	 		<u> </u>	_	
Plant 6	•				•	
North ESP	•	Filter #65	N/O	2/19/90	0.0	
South ESP	5	Filter #37 	N/O 	1/23/90	0.0 -	
Totals	i.	İ	0.0		0.0	
Plant 8						
343-27	5	Filter #928	N/O	10/24/89	0.0	
343-29	5	Filter #929	N/O	10/24/89	0.0	
8-8035	5	Filter #930	N/O	10/24/89	0.0	
8-8057	j 5	Filter #896	- N/O	10/15/89	0.0	
Totals			0.0		0.0	
Plant 9			,			
9E2-400	5	Filter #38	N/O	1/23/90	0.0	
9N1-1035D	6	Filter #98	N/O	4/6/90 to 5/4/90	ĺ	
	1 6	Filter #123	N/O	5/4/90 to 6/2/90	0.0	
9N1-1035S	3	Filter #99	N/O	4/6/90 to 5/4/90	Ì	
	4	Filter #126	N/O	5/4/90 to 6/2/90	0.0	
Totals			0.0	 	0.0	
Pilot Plant						
35-13-7041] 5	Filter #39	N/O	1/23/90	0.0	
35-13-7051	5	Filter #40	N/O	1/23/90	0.0	
-1	j 3	Filter #96	j N/O	4/1/90 to 4/30/90	İ	
	1 3	Filter #125	N/O	4/30/90 to 5/27/90	0.0	
-2	3	Filter #104	N/O	4/14/90 to 5/12/90	0.0	
Totals	1		0.0	 	0.0	
ab Bldg.						
15-001	1 3	Filter #117	N/O	4/20/90 to 5/18/90	0.0	
Totals			0.0		0.0	
٠						
SITE TOTALS	-		0.0		0.002657	

Status: 1 - Filter not inspected this period.

2 - Filter inspected but not changed.

3 - Filter changed, analyzed and discharge estimated.

4 - Filter changed but analysis not complete. To be reported.

 ${\bf 5}$ - Collector abandoned or on standby. Stack sampler filter not routinely changed.

6 - Duct sampler, not a discharge source. Emissions not included in report.

FMPC Controller's Organization · Materials Control & Accountability

Plant 8 Wet Scrubber Emission Report for the Period from 5/01/90 TO 5/31/90

Wet Scrubbers	Emission Factors U gms./hr. oper. 	Calculated During This		Total This Year kg. U
Rotary Kiln	 	 0 	 	0
Oxidation No. 1 Furnace	 7.11 * 	0	 0 	 0
Box Furnace		0	 0	0
Primary Calciner	0.51 * 3.00 **	0	 0	0
Totals	i 	0	0	0

Current emission factors are based on USEPA-approved stack testing studies.
 These factors are documented in a letter, A. M. Schwartzman to D. E. Dunaway, dated July 5, 1988, Plant 8 Scrubbers.

^{**} This emission factor is based on continuous stack sampling performed while Primary Calciner was drying wet sump cake (MTC 0069) during April 1989.

Estimated Uranium Emissions - Unmonitored Stacks

Plant	Stack	Emission Factors*	YID Total Cumulative Emissions (Kg U)	•
	Jolter Mufflers - east Jolter Mufflers - west	6.03E-7 Kg U/liner 6.03E-7 Kg U/liner	0.000000	0.000000
5	Breakout Jolter Muffler	8.22E-10 Kg U/derby	0.000000	
5	Remelt furnace Hilco Oil Reclamation/Furnace Vacuum Pump System	7.62E-8 Kg U/hr 	0.000000	0.000000
6	Briquetting scrubber **	1.38E-6 Kg U/lb U processed	0.000000	
6	Scrap pickling **	3.46E-4 Kg U/hr	0.000000	0.000000
8	Drum washer	3.0E-4 Kg U/hr	0.000000	0.000000
8	Eimco filter - filter #1	9.08E-5 Kg U/lb	0.015222	0.000000
 	 Oliver filter - east filter 	 9.08E-5 kg U/lb 	 0.003783 	 0.001208
 8 	 Eimco filter hood fan *** 	 4.89E-6 (Kg U/hr)*(min*m3/dis) 	0.000000	0.000000
	 Zirnlo - derby pickling	7.45E-6 Kg U/derby	0.000000	0.000000
•	Reactor area - Hydrogen safety	1.61E+7 (Kg U/hr)*(cc/micro Ci)	0.000000	0.000000
Pilot Plt	Reactor area - Scrubber C (Vessel 1 & 2 offgas line)	6.62E-9 Kg U/hr	0.000000	0.000000
Pilot	Annex area - Stokes vacuum pump	1.73E-8 Kg U/hr	0.000000	0.000000
	NAR	Based on U concentration.	0.000000	0.000000
i	Decontamination and Decommissioning	1.1E-4 Kg U/batch	İ	Í
	TOTAL - Kg U/month		======= 0.037815 	,

^{*} Hours as used in emission factor represent hours of operation in the mode which results in an air emission.

^{**} Factors for Plant 6 Scrap Pickle and Briquetting were determined before these facilities were tied into the NOx Destructor. As a result, U emissions will be lower than reported. New emission factors will be developed when stack sampling is complete.

^{***} Due to the length of time required to analyze air activities, the reported values represent emissions from the previous month.

Environmental Compliance - Air/Water Compliance

1271

Stack Discharge Report for the period from June 6, 1990 to July 9, 1990

Collector	Status	Notes	Stack D	ischarges Estimated	Total
Number	Ì	Ì	During T	his Reporting Period] This Yea
	İ	1	kg U	Sampling Interval	kg U
Plant 1					
G2-1	5	Filter #892) N/O	10/15/89	0.0
G2-5	5	Filter #894	N/O	10/15/89	0.0
G2-64	5	Filter #877	H/O	10/15/89	0.0
G2-76	5	Filter #891) N/O	10/15/89	0.0
G2-171	5	Filter #895) N/O	10/15/89	0.0
G2-172	3	Filter #127	N/0	5/6/90 to 6/2/90	0.0
	4	Filter #152	H/O	6/2/90 to 7/1/90	0.0
G2-23 5	3	Filter #149	N/0	5/27/90 to 6/23/90	1 0.0
G2-604 2	Out of		N/O	10/16/89	0.0
62-6014	3	Filter #128	N/O	5/6/90 to 6/2/90	0.0
	4	Filter #153	4/0	6/2/90 to 7/1/90	0.000356
					1
Totals	1	1	1 0.0)	0.000356
G1-94 G1-856	5 	Filter #963 Dismantled 	N/O N/O	11/22/89 11/13/89 	0.0 0.0
Totals	1	1	1 0.0		0.0
Plant 4					·
G4-1	1 5	Filter #897	N/O	10/15/89	0.0
G4-2	5	Filter #904) N/O	10/15/89	0.0
64-4	3	filter #129	N/O	5/6/90 to 6/2/90	0.0
	4	Filter #154	N/0	6/2/90 to 7/1/90	0.0
G4-5	3	Filter #130	N/0	5/6/90 to 6/2/90	0.0
•	1 4	Filter #155	N/O	6/2/90 to 7/1/90	0.0
64-7	j 5	Filter #898	N/O	10/15/89	0.0
G4-12	5	Filter #899	N/O	10/15/89	0.0
-G4-13	5	Filter #900	N/O	10/15/89	0.0
G4-14		Filter #931) N/O	10/24/89	0.0
Talcum Cooling Vent	5	Filter #901	N/O	10/15/89	0.0
Totals	 		0.0		0.0

Status: 1 - filter not inspected this period.

- 2 Filter inspected but not changed.
- 3 Filter changed, analyzed and discharge estimated.
- . 4 Filter changed but analysis not complete. To be reported.
 - 5 Collector abandoned or on standby. Stack sampler filter not routinely changed.
 - 6 Duct sampler, not a discharge source. Emissions not included in report.

N/O = The dust collector and associated process sources were not operated.

Stack Discharge Report for the period from June 6, 1990 to July 9, 1990

Collector	Status	Notes	•	Stack Discharges Estimated During This Reporting Period		
Kumber	! !	1	buring i	Sampling Interval	This Year kg U	
	 	 	\ 	1	- [
Plant 5						
G5-2470	6	Filter #145) N/O	5/18/90 to 6/16/90	0.0	
G5-2480	6	Filter #146	N/O	5/18/90 to 6/16/90	0.0	
G5-248 s	3	Filter #147	N/O	5/18/90 to 6/16/90	0.0	
G5-249	}	Dismantled	N/O	1	1	
G5-250	l	Dismantled	N/O	1	1	
G5-254		Dismantled	4/0	1	1	
G5-267		Dismantled	J N/O		1	
G5-256	5	Filter #132	N/O	5/13/90	0.0	
G5-260	5	.Filter #133	N/O	5/13/90	0.0	
G5-261	5	Filter #134	N/O	5/13/90	0.0	
G5-262	5	Filter #135	N/O	5/13/90	0.0	
G55E-100	5	Filter #136	N/0	5/13/90	0.002301	
G5A-100		Dismantled	4/0	5/18/90	0.0	
G5A-101	5	Filter #137	N/O	5/13/90	0.0	
G5A-284D	6	Filter #150	N/O	5/26/90 to 6/24/90	0.0	
G5A-284S	3	Filter #151	1 N/O	5/26/90 to 6/24/90	0.0	
GS5-1017D	6	Filter #139	J N/O	5/13/90 to 6/10/90	0.0	
G55-1016\$	3	Filter #140	N/O	5/13/90 to 6/9/90	0.0	
G05 - 1029Y	3	Filter #114	N/O	4/15/90 to 5/13/90	0.0	
	3	Filter #141	. N/O	5/13/90 to 6/9/90	0.0	
G05 - 1020X	3	Filter #142	N/O	5/13/90 to 6/9/90	0.0	
G05-1019X	3	Filter #143	N/O	5/13/90 to 6/9/90	0.0	
Graphite Breakup Boot	h 5	Filter #965	N/O	11/22/89	0.0	
E. Mold Cooling Booth		Filter #964	N/O	11/22/89	i 0.0	
W. Mold Cooling Booth		Filter #968	1 N/O	11/22/89	0.0	
East Cooling Well	5	Filter #915	N/O	10/19/89	0.0	
West Cooling Well	5	Filter #916	N/O	10/19/89	0.0	
					,	
Totals	İ		0.0	j.	0.002301	

ΡI	ant	6

		Filter #65	N/O	2/19/90	0.0
	•			1/23/90	
•	1	 			
Totals	1		0.0		0.0

Status: 1 - Filter not inspected this period.

- 2 filter inspected but not changed.
- 3 filter changed, analyzed and discharge estimated.
- 4 Filter changed but analysis not complete. To be reported.
- 5 Collector abandoned or on standby. Stack sampler filter not routinely changed.
- 6 Duct sampler, not a discharge source. Emissions not included in report.

N/O = The dust collector and associated process sources were not operated.

- 6 Duct sampler, not a discharge source. Emissions not included in report.
- 5 Collector abandoned or on standby. Stack sampler filter not routinely changed.
 - 4 Filter changed but analysis not complete. To be reported.
 - 3 Filter changed, analyzed and discharge estimated.
 - 2 Filter inspected but not changed.
 - Status: 1 Filter not inspected this period.

726200.0		0.0	[SJATOT 3T12
				,	
0.0		0.0			sletoT
0.0	06/91/9 01 06/31/5	O/N }	Filter #144	۱ع	100-S15 100-S15
0.0	!	0.0 l			z je jo j
		 O/N	Filter #131	. £	5-9
0.0	06/6/9 01 06/21/5	0/N	Filter #148	١٤	į -:
.0°0 0°0	08/22/1	0/N	Filter #40	s l	1507-21-25
0.0	1/23/80		Filter #39		1707-21-25
					Juelq Joliq
0.0		0.0			slatoT
0.0	06/02/9 01 05/2/9	0/N	TZI# neslin	,	
	06/2/9 01 05/7/5	0/5	Filter #126	2	\$\$\$01-1N6
0.0	06/02/9 01 05/2/9	0/5	AZI# nassiiq	9	
0.0	06/2/9 01 06/7/5	0/8	Filter #123	١	05501-1N5
0.0	06/22/1	1 0/s 1	85# 1911	· \$ }	005-236 6 Jueld
0.0	I	0/N	!		elstot
			Filter #896	s	7≷08-8
0.0	69/51/01	0/N 0/N	Filter #930	Ś	3-8035
0.0	68/72/01	1 O/N	Filter #929	\$	12-59
0.0 0.0	68/72/01 68/72/01	1 0/N 1	Filter #928	S	12-21
0 0	. 08//2/01	1 1		}	8 Just9
0.64	I IRA ISHII SUU diibo	n 5 1			
This Yea U gi	boing Perting Paise Sempling interval			1	Минфег
	poised poileds at	I Stack	ROTOR	Status	Collector
letot	botumited sognedae	1 Stack Di	29101	201612	1 3012011

Stack Discharge Report for the period from June 6, 1990 to July 9, 1990

TLST

specifiqued modeWhitA - spinsifiqued latromeroniva3

FMPC Controller's Organization - Materials Control & Accountability

Plant 8 Wet Scrubber Emission Report for the Period from 6/01/90 10 6/30/90

Wet Scrubbers	Emission Factors U gms./hr. oper. 	Calcul Rep	rubber Emissions ated During This orting Period Operating Hours	Total This Year kg. U
Rotary Kiln	 1.01 * 	 0 	 	
Cxidation No. 1 Furnace	7.11 *	 0 	 0 	 0
Sex furnace	 2.06 * 	0	 0 	 0
Primary Calciner	0.51 * 3.00 **	0	0	0
Totals	 	0	0	0

Current emission factors are based on USEPA approved stack testing studies.
 These factors are documented in a letter, A. M. Schwartzman to D. L. Dunaway, dated July 5, 1988, Plant 8 Scrubbers.

^{**} This emission factor is based on continuous stack sampling performed while Primary Calciner was drying wet sump cake (MTC 0069) during April 1989.

Estimated Uranium Emissions - Unconitored Stacks

YID

Plant	Stack	Emission Factors*	Total Cumulative Emissions (Kg U)	
	Jolter Mufflers - east Jolter Mufflers - west	6.03E-7 Kg U/liner 6.03E-7 Kg U/liner	•	•
5	Breakout Jolter Muffler	8.22E-10 Kg U/derby	0.000000	0.000000
5	Remelt furnace Hilco Oil Reclamation/Furnace Vacuum Pump System	7.62E-8 Kg U/hr	0.000000	[0.000000 [
6.	Briquetting scrubber **	1.38E-6 Kg U/lb U processed	0.000000	0.000000
6	Scrap pickling **	3.46E-4 Kg U/hr	0.000000	
8	Drum washer	3.0E-4 Kg U/hr	· .	'
8	Eimco filter - filter #1	9.08E-5 Kg U/lb	0.015546	0.000324
	 Oliver filter - east filter 	9.08E-5 Kg U/lb	0.004707	0.000923
8	Eimco filter hood fan ***	4.89E-6 (Kg U/hr)*(min*m3/dis) 	0.000000	0.000000
9	Zirnlo - derby pickling	7.45E-6 Kg U/derby	0.000000	0.000000
Pilot Plt	Reactor area - Hydrogen safety system exhaust vent ***	1.61E+7 (Kg U/hr)*(cc/micro Ci)	0.000000 0.000000	0.00000.0
Pilot Plt	Reactor area - Scrubber C (Vessel 1 & 2 offgas line)	6.62E-9 Kg U/hr	0.000000	0.000000
Pilot	Annex area · Stokes vacuum pump	1.73E-8 Kg U/hr	0.000000	0.000000
	NAR	Based on U concentration	0.000000	0.000000
	Decontamination and Decommissioning	1.1E-4 Kg U/batch	1	1
=====	10TAL - Kg U/month		0.044783	

Hours as used in emission factor represent hours of operation in the mode which results in an air emission.

^{**} Factors for Plant 6 Scrap Pickle and Briquetting were determined before these facilities were tied into the NOx Destructor. As a result, U emissions will be lower than reported. New emission factors will be developed when stack sampling is complete.

^{***} Due to the length of time required to analyze air activities, the reported values represent emissions from the previous month.